

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	444314	(testpiece sample specimen object target article ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:21
L2	62201	1 and (grip\$4 clamp\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:42
L3	18914	2 and (pivot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:43
L4	10134	3 and (bend\$4 deform\$4 flexible flexure )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:30
L5	4494	4 and (motor )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:31
L6	1818	5 and (thickness )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:31
L7	1265	6 and (plane )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:32
L8	1187	7 and (control\$4 ECU CPU computer processor microprocessor )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:32
L9	899	8 and (shaft )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:33

L10	301	9 and (symmetr\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:33
L11	183	10 and (resistance )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:33
L12	173	11 and (arm bar rod )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:34
L13	169	12 and (parallel )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:34
L14	42	13 and (torque )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:37
L15	23	pure near3 bending.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:39
L16	30	pure near3 bending.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:41
L17	698	pure near3 bending	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:41
L18	263	17 and (grip\$4 clamp\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:42
L19	181	18 and (slot slit opening aperture hole )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:42

L20	85	19 and (pivot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/13 11:43
-----	----	-------------------	---	----	----	------------------